



Unit 101-84 North Bend Street,
Coquitlam, BC, V3K 6H1

IMPORTANT NOTICE TO RESIDENTS

Canadian Pest Control Ltd. will be providing a **CARPENTER ANT CONTROL SERVICE**
in your residence on

_____ starting at _____

If we are rained out we will try again on _____.

If we are treating inside your unit - All people and pets must vacate treated units for a minimum of FOUR (4) to SIX (6) hours after the treatment. You must leave upon commencement of the work. Pregnant or nursing women, children under two (2) years old, or those with allergies or respiratory problems, must vacate for EIGHT (8) to TWELVE (12) HOURS OR OVERNIGHT. Aquariums must be covered and filters turned off.

Upon returning home **please ventilate your residence** and replace all contents.

If we are just treating outside, you need to keep windows and doors closed during the application, and stay away from treated areas until they are dry (allow 2 hours).

TO ENSURE SUCCESS PLEASE DO THE FOLLOWING PREPARATIONS

- **Remove everything** from next to the outside of the house. No firewood, no lumber, no toys or barbecues within three feet of the building please.
- **Cut back all vegetation and tree branches.** Vegetation should be 18 inches off the walls, and tree branches should be three feet away. Also ensure the concrete foundation is exposed; no soil up against the siding.
- **Reduce clutter inside!** Carpenter ants hide in cluttered areas, especially near heat and moisture.
- **Thoroughly vacuum** all floor level cracks and crevices to remove food.
- **Clean all areas of the kitchen**, especially under the fridge and stove, and anywhere crumbs accumulate.
- **Fix dripping taps** or leaking pipes, roof leaks, and any gaps around windows, doors, or siding that may allow moisture inside.
- **Replace all rotting wood in the house, deck, or landscaping.**
- **Ensure attics and crawlspaces are properly ventilated.**

You may experience activity for up to one month after the treatment.

We will be applying Demand CS (Cyhalothrin-lambda 0.03%, PCP #27428) to the exterior, and we may use Ficam D (bendiocarb 1%, PCP#16080) and/or 110 ULV (pyrethrins 1%, PCP#11684) in structural nesting areas.

In an emergency, contact POISON CONTROL at 604-682-5050.
Our technicians are government certified covered by WCB, insured, and bonded.
British Columbia Service License #150.

Thank you for your cooperation!